

FEE TRANSMITTAL

Attorney Docket No. 06763.105001

This sheet accompanies a patent application transmittal for the following application:

Inventor(s): **Dushan G. Monchilovich et al.**
Filing Date: **October 20, 2000**
Title: **Document and Message Exchange System for ASP Model**

The filing fee is calculated as shown below:

1. FILING FEE:

FOR:	SMALL ENTITY		LARGE ENTITY	
	FEE	FEE PAID	FEE	FEE PAID
<input checked="" type="checkbox"/> UTILITY FILING FEE	\$355	\$355	\$710	
<input type="checkbox"/> DESIGN FILING FEE	\$160		\$320	
<input type="checkbox"/> PLANT FILING FEE	\$245		\$490	
<input type="checkbox"/> REISSUE FILING FEE	\$355		\$710	
<input type="checkbox"/> PROVISIONAL FILING FEE	\$75		\$150	
SUBTOTAL (1)		\$355		\$xxx

CLAIMS:

FOR:	SMALL ENTITY			LARGE ENTITY	
	NO. FILED	NO. EXTRA	RATE	FEE	FEE
TOTAL CLAIMS	18 - 20 =	0	x 9 =	\$0	x 18 =
INDEP. CLAIMS	3 - 3 =	0	x 40 =	\$0	x 80 =
<input checked="" type="checkbox"/> MULTIPLE DEPENDENT CLAIM PRESENTED			+135 =	\$135	+270 =
SUBTOTAL (2)				\$135	\$xxx

ADDITIONAL FEES:

FOR:	SMALL ENTITY		LARGE ENTITY	
	FEE	FEE PAID	FEE	FEE PAID
<input type="checkbox"/> LATE FILING, FEE OR OATH	\$65		\$130	
<input type="checkbox"/> NON-ENGLISH SPECIFICATION	\$130		\$130	
<input type="checkbox"/> OTHER				
SUBTOTAL (3)		\$xxx		\$xxx

TOTAL FILING FEES: \$490.00A check is enclosed for the total amount: **\$490.00**☐ Charge any additional fees required under 37 C.F.R. 1.16 or 1.17 to Deposit Account 11-0980.

KING & SPALDING
45th Floor, 191 Peachtree Street, N.E.
Atlanta, Georgia 30303
Telephone: 404.572.4600

By: 

Charles Vorndran, Attorney for Applicant
Reg. No. 45,315

Date: October 20, 2000

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of: **Dushan G. Monchilovich et al.**)
Application No.: **Not Yet Assigned**)
Filed: **October 20, 2000**) Attorney's Docket No. 06763.105001
For: **Document and Message Exchange System for ASP Model**)

**VERIFIED STATEMENT (DECLARATION) CLAIMING SMALL ENTITY
STATUS (37 CFR 1.9 (f) AND 1.27 (c)) - SMALL BUSINESS CONCERN**

I hereby declare that I am an official of the small business concern empowered to act on behalf of the concern identified below:

NAME OF CONCERN: Emerging Solutions, Inc. (d/b/a) Constructw@re, Inc.

ADDRESS OF CONCERN: 3755 Mansell Road, Suite 400, Alpharetta, Georgia 30022

I hereby declare that the above identified small business concern qualifies as a small business concern as defined in 13 CFR 121.3-18, and reproduced in 37 CFR 1.9(d), for purposes of paying reduced fees under Section 41 (a) and (b) of Title 35, United States Code, in that the number of employees of the concern, including those of its affiliates, does not exceed 500 persons. For purposes of this statement, (1) the number of employees of the business concern is the average over the previous fiscal year of the concern of the persons employed on a full-time, part-time or temporary basis during each of the pay periods of the fiscal years, and (2) concerns are affiliates of each other when either, directly or indirectly, one concern controls or has the power to control the other, or a third party or parties controls or has the power to control both.

I hereby declare that rights under contract or law have been conveyed to and remain with the small business concern identified above, with regard to the invention entitled "**Document and Message Exchange System for ASP Model**" by inventors **Dushan G. Monchilovich, Joshua D. Burt, Daniel T. Fossi, Dwayne Allen Emerick, and Matthew E. Wheelis** described in the specification filed herewith.

The rights held by the above identified small business concern are exclusive.

I acknowledge the duty to file, in this application or patent, notification of any change in status resulting in loss of entitlement to small entity status prior to paying, or at the time of paying, the earliest of the issue fee or any maintenance fee due after the date on which status as a small entity is no longer appropriate. (37 CFR 1.28(b))

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application, any patent issuing thereon, or any patent to which this verified statement is directed.

NAME OF PERSON SIGNING: D. Allen Emerick

TITLE OF PERSON OTHER THAN OWNER: Chief Information Officer

ADDRESS OF PERSON SIGNING: 3755 Mansell Road, Suite 400, Alpharetta, Georgia 30022

DATE October 18, 2000 SIGNATURE D. Allen Emerick

DOCUMENT AND MESSAGE EXCHANGE SYSTEM FOR ASP MODEL

5

TECHNICAL FIELD

The present invention relates to computer systems for storing and exchanging information. More particularly, the present invention relates to computer systems that utilize the Internet to send and receive information using an Application Service Provider to facilitate collaboration on shared projects.

BACKGROUND OF THE INVENTION

The exchange of information between parties collaborating on joint projects has traditionally suffered from the limitations of the mode of exchange. During the time it takes for one party to deliver a document detailing that party's activities, several other collaborators may have contemporaneously engaged in activity on the project that drastically affects the first party's business interests. Similarly, the content of the information exchanged between some parties may be critically sensitive. A party may desire to share limited information with specific parties while preventing the distribution of that information with other collaborators. In such circumstances, retaining ownership of one's information is paramount.

One example of an industry in which collaboration on projects is integral to a successful business is the construction industry. In the construction business several subcontractors compete for opportunities to collaborate on construction projects under the supervision of a general contractor. A subcontractor must disclose project information to the general contractor and must constantly be updated on the progress of the project and of other subcontractors working on the same project. Information specific to one subcontractor must be shared with the general contractor but may be detrimental if shared with competing subcontractors. Thus, ownership of confidential information is critical in the construction industry. Because timing is critical in completing the construction projects, subcontractors must be aware of events as they occur during the life of the project.

Computers have greatly affected many industries by facilitating information management. Many industries are storing vast amounts of information in computers; however, the information is not readily accessible to multiple collaborators on multiple projects. Conventional approaches aimed at facilitating information exchange include having multiple project participants transmit information to a single individual. Figure 1 is a block diagram of this approach. In Fig. 1 the subcontractors 125-135, architect 110, general contractor 115, and the engineer 120 transmit information relating to the project to a central database 105. An individual would then input the received data into a local computer. Access to the information would necessarily be through the one person entering the data into the computer. As a result, access to information by persons other than the person inputting the data is severely limited. Real-time availability of information is simply not possible in this scenario. Similarly, the information is specific to one project. A subcontractor working on multiple projects would have limited, if any, access to information on that one project and no ability to simultaneously access information on an enterprise level. Finally, sensitive data released to the individual inputting the information into a computer may no longer be the exclusive property of the individual transmitting the information. The issue of ownership of confidential business information is critically important because it allows one to regulate who has access to the data. Failing to retain ownership of the data may compromise competitiveness because once ownership of the data is lost, the ability to restrict access to the data is also lost.

Storing project information in a central database that permits collaborators to access the database remotely is an alternative conventional method of addressing the issue of data exchange between collaborators and is illustrated in Fig. 2. In this scenario, users 205 can remotely input project information from their own computer into a product provider system 215. For example, a subcontractor can establish contact remotely with the database using a computer with a modem coupled to conventional telephone lines and an interface 210. Once the contact is established, the subcontractor can transmit project data directly into the product provider system 215. The data can then be processed on the system containing the database 215. The

information flows from the user 205 to the database 215 through an interface 210. This system has several disadvantages. Using this system, a collaborator cannot receive messages or information directly from other collaborators. The system manages information on a project specific basis. The information is generally available to collaborators in a "read-only" format. Because this system typically does not utilize a relational database, specific data structures must be used for archive and access purposes.

Figure 3 is another example of a method of exchanging information between collaborators. The method of Figure 3 allows users 305 to access a server 315 via the Internet 310 that manages as well as stores project information. This method is an example of using an Application Service Provider (ASP). ASPs range from simple free e-mail services to complex custom applications. An application resides on the ASP's Web site and, whenever the application is needed, it is accessed through a Web browser. Information is saved either to the ASP's server or to a local hard drive. Using this conventional method, information stored on the server 315 can relate to one or more projects but the information does not remain under the exclusive control of a collaborator. When multiple collaborators upload project information to a single database, the ownership of the data stored on the central database is unclear, and restricting access to confidential business information remains a problem. Once the project is completed, the stored information is typically no longer accessible by all collaborators because the application does not permit access to completed projects.

Conventional methods of exchanging information between multiple collaborators on multiple projects fail to adequately protect confidential business information, do not provide real-time information to collaborators, and lack the capacity to manage information for a single collaborator across multiple projects. Accordingly, there is a strong need in the art for a method and system to protect confidential business information during the exchange of information between collaborators. A further need exists for a method and a system for exchanging information between collaborators that facilitates the exchange of information between multiple databases using dynamic relational databases via an Application Service Provider model. There is an additional need in the art for a method and a

system for exchanging information between collaborators that monitors changes made to documents by collaborators as the documents are exchanged. Another need exists for a method and system of exchanging information that enables a collaborator to access real-time information on a project. Yet another need exists in the art for a method and system of exchanging information between collaborators that enables a single collaborator to exchange information and monitor such exchanges for all of that collaborator's projects.

SUMMARY OF THE INVENTION

The present invention solves the aforementioned problems by facilitating collaboration on projects using an ASP model. Ownership of information is preserved by optionally storing confidential information on databases owned by the original owner of the data. Alternatively, information to be shared is selected by the owner of the information and transmitted directly to a selected recipient. Messages and documents can be exchanged directly between collaborators rather than stored at a central repository. Additionally, the present invention enables an individual to participate in multiple projects with different collaborators. A user can generate reports and extract data on an enterprise level rather than be limited to a single project. The status of projects is available as collaborators exchange information on projects.

The present invention supports the execution of an application on a Web server that is accessed by client computers via the Internet. A database can be connected to the Web server. This database, called the Global Information Store (GIS), houses data fields that are associated with Global Unique Identifiers (GUIDs). GUIDs play a central role in facilitating the exchange of information between clients or their databases. GUIDs inject a commonality between databases despite differences in the content of the data fields. For example, a data field containing information that a message is "pending" can be given a GUID of 101. If a second database has "pend" in its data field having a GUID of 101, a message received by the second database containing "pending" in that data field will be understood to mean "pend." Thus, the present invention can provide a common key to translate data fields

between databases. The key can be a number, a character, a combination of characters and numbers, or any other data type. When a client computer creates a project using specific data fields, the client publishes the data fields to the GIS to associate a GUID with each data field. The GUIDs are returned to the client computer or database and are associated with the specific data fields.

Once the data fields of a project are associated with GUIDs, a client can send invitations to other clients to participate in the project. The invitation contains data fields relating to the project. After receiving the invitation and accepting the message, the invitee checks to see if the project of the invitation exists on the invitee's local computer or database. This determination can be accomplished by checking whether the GUID of the project of the invitation is stored locally. If the project is not stored locally, the invitee can import the project data with the associated GUIDs from the GIS. If the project exists in the invitee's local computer or database, the project data can be compared with the local data relating to the project. Possible matches can be displayed to the user, and the user can select the data field of the invitation that corresponds to the local data field by matching the GUID of the data field of the project with the local data field. This process can continue until all the data fields of the invitation correspond to local data fields sharing the same GUIDs. This process of matching data fields in messages or invitations to local data fields is termed "mapping."

The present invention facilitates the exchange of messages and documents between collaborators by associating a GUID with each collaborator or contacts for a collaborator. The routing information associated with the collaborator's GUID can be stored in the GIS. When a message is sent, the GIS can be queried for either the routing information corresponding to the GUID of the addressee or for the GUID and routing information of an addressee. The routing information can then be inserted into the message and the message sent.

In addition to facilitating the exchange of messages and documents, the present invention can generate history logs showing the modification of documents and messages as they are exchanged among collaborators. Each document and message contains tables in which a record is added each time the document is edited

or acted upon. Related documents contain document history tables that reflect changes made to the parent document as well as the parent document's child documents.

That the invention improves over prior systems for exchanging information between collaborators and accomplishes the advantages and goals described above will become apparent from the following detailed description of the exemplary embodiments and the appended drawings and claims.

BRIEF DESCRIPTION OF THE DRAWINGS

Fig 1 is a block diagram of a conventional method of exchanging information between collaborators in the construction industry based upon manual entry of each collaborator's information.

Fig. 2 is a block diagram of another conventional method of exchanging information in which a collaborator can remotely access a central database and store information on that system.

Fig. 3 is a block diagram of a conventional method of exchanging information between collaborators that can upload project information to a central database by accessing the Internet.

Fig. 4A is a block diagram of one embodiment of the present invention in which collaborators can exchange information directly between each other's databases by accessing the Internet and a Web Server.

Fig. 4B is a block diagram of another embodiment of the present invention in which collaborators exchange project specific information by accessing the Internet and a Web Server wherein each collaborator's information is separately maintained on a database.

Fig. 5 is a functional block diagram illustrating an information exchange system according to one embodiment of the present invention.

Fig. 6 is a logic flow diagram illustrating an exemplary embodiment of a method for exchanging information between collaborators in an ASP model.

Fig. 7A is a logic flow diagram illustrating an exemplary process for initializing a project and publishing project data to a central database via an ASP model.

Fig. 7B is a logic flow diagram illustrating an exemplary process for inviting collaborators to participate in the project via an ASP model.

Fig. 8 is a logic flow diagram illustrating an exemplary process for addressing documents and messages to collaborators via an ASP model.

Fig. 9 is a logic flow diagram illustrating an exemplary process for responding to an invitation to collaborate on a project via an ASP model.

Fig. 10 is a logic flow diagram illustrating an exemplary process for mapping project data between databases in an ASP model. .

Fig. 11 is a logic flow diagram illustrating an exemplary process for sending documents and messages between collaborators via an ASP model.

Fig. 12 is a logic flow diagram illustrating an exemplary process for receiving documents or messages via an ASP model.

Fig. 13 is a logic flow diagram illustrating an exemplary process for processing a received message in an ASP model.

Fig. 14 is a logic flow diagram illustrating an exemplary process for tracking edits in documents and messages exchanged between collaborators in an ASP model.

DETAILED DESCRIPTION OF EXEMPLARY EMBODIMENTS

The present invention is directed toward a system for exchanging information between collaborators using an ASP model. An ASP model includes but is not limited to a model wherein an application is hosted on a server which can be accessed by the Internet. In a preferred embodiment, the present invention may be embodied in a computer program, typically an application program running on a Web server that facilitates the exchange of information between collaborators on a project. In another preferred embodiment, the project is in the construction industry. Although the illustrative embodiment will be generally described in the context of an application running on a Web server, otherwise known as an Application Service

Provider (ASP) model, those skilled in the art will recognize that the present invention may be implemented in any distributed computing environment including local area networks, wide area networks, as well as the Internet.

The detailed description which follows is represented largely in terms of processes and symbolic representations of operations by conventional computer components, including client computers, memory storage devices, display devices, and input devices. Furthermore, these processes and operations may utilize conventional computer components in a heterogeneous distributed computing environment, including remote file servers, remote computer servers, and remote memory storage devices. Each of these conventional distributed computing components is accessible by a central processing unit via a communications network.

The processes and operations performed by the computer include the manipulation of signals by a client or remote server and the maintenance of these signals within data structures resident in one or more of the local or remote memory storage devices. Such data structures impose a physical organization upon the collection of data stored within a memory storage device and represent specific electrical or magnetic elements. These symbolic representations are the means used by those skilled in the art of computer programming and computer construction to most effectively convey teachings and discoveries to others skilled in the art.

Referring now to the drawings, in which like numerals represent like elements throughout the several figures, aspects of the present invention and illustrative operating environment will be described.

Referring now to Fig. 4A, an architecture of an exemplary embodiment of the present invention will be described. Fig. 4A illustrates an exemplary message and document exchange system **400A** that includes a server **410a**, client databases **420a-445a**, which can be linked to the server **410a** via the Internet **405a** and database **415a** connected to the server **410a**. The database **415a**, alternatively described as a Global Information Store (GIS) contains routing, addressing, mapping, and project information, but does not contain or store confidential business information. Information in the form of documents or messages can be exchanged between databases **420a-445a** through the Internet **405a** to the server **410a**. The server **410a**

optionally queries the database **415a** as needed to retrieve routing, addressing, or mapping information necessary to deliver the information to the specified addressee database. Unlike system **300** system **400A** can exchange information on multiple projects for each client.

5 In a typical operating environment in the construction industry, a general contractor **420a** publishes project specific data to the GIS **415a** via the Internet **405a**. Each data field in the project setup message or document is given a GUID that is returned to the general contractor **420b**. The general contractor **420b** can then invite participants by sending a message to selected participants via the
 10 Internet **405a**. Routing information for the selected participants can be retrieved from the GIS **415a**. Subcontractors **435a – 445a** or other clients who receive and accept invitations to participate in the project can publish additional information to the GIS **415a** if necessary, and exchange information with the general contractor **420a**, architect **425a**, engineer **430a**, or other subcontractors **435a – 445a**. Architect **425a**
 15 and engineer **430a** can also exchange information with other project participants. Each client can monitor projects on an enterprise basis for all projects of the client. Additionally, clients can get project status updates as the information is exchanged.

Fig. 4B illustrates an alternative embodiment of the present invention. The message and document exchange system **400B** comprises a Web server **410b**
 20 connected to specific client databases **450b** and **455b**. Clients **420b-445b** can be connected to the server **410b** via the Internet **405b**. Clients **420b-445b** can exchange documents and messages with one another through the Internet **405b** to the server **410b** which queries the database **415b** to obtain routing, mapping, and addressing information as needed. The server **410b** then directs the information to the designated
 25 addressee. Client databases **450b** and **455b** may be used to store the clients' proprietary information. Because client's information can be securely stored on a database **450b** owned by the client, the client retains ownership of its information. In this embodiment clients can access the Web server **410b** via the Internet **405b** as users without maintaining a database of their own as **420a – 445a** in **400A**.

30 In the construction industry, system **400B** typically operates first when a general contractor **420b** publishes project specific data to the GIS **415b** via the

Internet **405b**. In this embodiment of the invention, the clients including the general contractor **420b**, architect **425b**, engineer **430b**, and subcontractors need not operate from a local database as in system **400A**. Each data field in the project setup message or document is given a GUID that is returned to the general contractor **420b**. The general contractor **420b** can then invite participants by sending a message to selected participants via the Internet **405b**. Routing information for the selected participants can be retrieved from the GIS **415b**. Subcontractors **435b – 445b** or other clients who receive and accept invitations to participate in the project can publish additional information to the GIS **415b** if necessary, and exchange information with the general contractor **420b**, architect **425b**, engineer **430b**, or other subcontractors **435b – 445b**. Architect **425b** and engineer **430b** can also exchange information with other project participants. In system **400B** clients can optionally store information in databases **450b** and **455b** owned by that client. Storing information in a database owned by the client enables the client to retain ownership of its information. Information on multiple projects can be exchanged between participating clients. Each client can monitor projects on an enterprise basis for all projects of the client. Additionally, clients can get project status updates as the information is exchanged.

Fig. 5 illustrates a functional block diagram of the exemplary components of the message and document exchange method and system **500**. The message and document exchange system **500** enables multiple clients **515a - 515c** to exchange messages and documents by connecting to the ASP Model **505** via the Internet **510**. Clients **515a - 515c** can initiate projects **520** using the document and message exchange system **500** as describe in more detail in connection with Fig. 7. Clients **515a - 515c** can also mine data for their entire enterprise and specific industry **525**. By mining data, it is meant that a client can obtain information from the system concerning the client's entire industry by accessing the client's own data as well as the dat of other clients. Multiple clients in the same industry provide industry-wide data that can be utilized to generate industry-wide reports. The mined information can be used to assess the status of the industry, predict trends, or forecast business cycles. The message and document exchange system **500** enables clients **515a - 515c** to exchange information on their projects **535** and allows them to extract **525** and

generate reports on an enterprise level **540**. Thus, a client can determine the status of all projects on which the client is collaborating.

The message and document exchange system **500** enables clients **515a-515c** to exchange information without limitation to particular data structures. Using dynamic relational databases, the exchange system **500** can bridge multiple databases **530**. Additionally, the message and document exchange system **500** can track edits made in messages and documents when exchanged between collaborators. By tracking such edits, the exchange system **500** can generate a document history **545**.

Fig. 6 is an exemplary logic flow diagram of a computer-implemented process for exchanging messages and documents while preserving data ownership. In routine **610**, a client of the ASP sets up a specific project for collaboration. Once the project is set-up, collaborators are invited to participate in the project by using routine **615**. Project initiation is explained in detail in Fig. 7A and Fig. 7B. Upon receiving an invitation to collaborate in a project, the recipient may choose to accept the invitation and participate, or reject the invitation, using routine **620**. During the life of the project, collaborators exchange messages and documents in connection with the project by using routine **625**.

Fig. 7A illustrates the computer implemented process for routine **610**. Fig. 7 provides an overview of routine **610** for setting up a project for collaboration by publishing project data and mapping returned global unique identifiers. Step **705** is the start step for routine **610**. In steps **710a - 725a** project information is published to a Global Information Store (GIS) **415a** or **415b**. In step **710a** a client can publish project data by sending the project data to the server **410a** or **410b** for storage at the GIS **415a** or **415b**. Examples of project data include the name of the project and the location of the project. In step **715a** the names of specific companies to be involved in the project are published. Individual contacts involved with the project are published to the GIS in step **720a**. In step **725a** Construction Specifications Institute (CSI) codes are published to the GSI. CSI codes are codes used in the construction industry to identify items such as commonly used products or services in construction projects. Steps **710a - 725a** publish information to the GSI to facilitate exchange of information during the project. Publishing information to the GIS assigns GUIDs to

each data field and enables clients to query the GIS when they encounter data fields that are not recognized locally. In the construction industry, different subcontractors can designate data fields differently on their local systems. Data fields with different designations will not be recognized by other collaborators on projects unless a
 5 reference list of data fields and GUIDs exists. The GIS provides this common list of data fields and GUIDs so that subcontractors can exchange information between different databases having data fields containing similar data but having different local designations.

All relevant fields in the document or message must be published to
 10 the GIS. Publishing project information to the GIS typically requires each data field receiving a GUID. The data fields and associated GUID are stored in the GIS so clients can query the GIS when they receive a data field that is unknown on the client's system. A determination that all relevant fields are published to the GIS is done locally. Each relevant data field is checked for the presence of a GUID. If
 15 GUID is missing from a relevant data field, the user is informed that the information must be globally published to the GIS. Publishing of information to the GIS consists of inserting the information with its supporting contextual information into the GIS.

In routine **730a** the GUIDs are returned to the client setting up the project, and the GUIDs are matched locally to the corresponding data. A GUID is
 20 generated for each relevant data field and the GUID is associated with its respective data field locally. Each GUID is associated with one data field. The association between the data field and the GUID is maintained throughout the project. Matching of GUIDs with corresponding data is referred to as "mapping" and is explained in detail in process **1000** of Fig. 10.

Fig. 7B illustrates the computer-implemented process for routine **615**.
 25 In step **735b**, the client chooses which companies to invite to collaborate on the project. A company is invited to collaborate by sending the company a message or a document. The invitation is first addressed using routine **740b**. Addressing is fully described in Fig. 8. Once the invitation is addressed, the invitation is sent according
 30 to routine **745b**. Fig. 11 describes the processes involved in sending documents and messages.

Fig. 8 illustrates a computer-implemented process for addressing documents and messages to be exchanged between collaborators on a project. Fig. 8 provides an overview for the addressing process 740, and begins with decision step 810. In decision step 810, the local presence or absence of a GUID returned from the GIS 415a or 415b for the addressee is determined by comparing locally stored data fields and GUIDs with the returned data fields and GUIDs. If the decision in step 810 is negative, then the "no" branch is followed to step 815. If the decision in step 810 is positive, then the "yes" branch is followed to step 820. In step 815 the GIS 415a or 415b is queried to find a GUID that matches the addressee. In step 820 routing information matching the addressee's GUID is retrieved from the GIS 415a or 415b. In decision step 825 a determination is made whether additional addressees are identified by the message or document to be exchange. If the result to decision step 825 is negative, the "no" branch is followed to step 830 and the addressing process 740. If the result of decision step 825 is positive, then the "yes" branch is followed to step 810 to repeat the addressing process 740 until all addressees have routing information placed in the document or message.

Fig. 9 illustrates a computer-implemented process for receiving a project invitation. Process 620 begins at the start step 902 and a message or document is received in step 904. At decision step 906 a decision is made whether to accept the message or document. If the result of decision 906 is negative, the "no" branch is followed to step 908. If the result of decision 906 is positive, the "yes" branch is followed to step 910. Step 908 involves returning the rejected message to the sender. In step 910 a decision is made whether the project identified by the invitation exists in the local database. If the result of decision 910 is negative, the "no" branch is followed to step 912. If the result of decision 910 is positive, the "yes" branch is followed to step 916.

In step 912 the client imports data for the project from the GIS 415a or 415b by accessing the Web server 410a or 410b. Data to be imported includes information specific to the project, companies associated with the project, contacts for the project, and CSI codes. Routine 914 encompasses mapping the imported data to existing local data using the GUID for each piece of data, as described in detail below

in connection with Fig. 10. Companies, contacts, and CSI codes are mapped in routines **918**, **920**, and **922**, respectively. The mapping process in routines **918**, **920**, and **922** is more fully described in process **1000** of Fig. 10. In routine **922**, mapping of CSI codes overwrites data locally. Overwriting of data in routines **918** and **920** is not necessary.

Decision step **924** follows the routines for mapping project data. In decision **924** a determination is made whether to accept messages from all project contacts mapped in routine **920**. If the result of decision **924** is negative, the "no" branch is followed to step **926**. If the result of decision **924** is positive, the "yes" branch is followed to routine **928**. In step **926** project contacts from whom messages will be accepted are selected. Decision **930** follows step **926**. In routine **928** project contacts are mapped locally as described in process **1000**.

A determination is made in decision **930** as to whether the individual receiving the invitation has additional information to share with the sender of the invitation. If the result of decision **930** is negative, the "no" branch is followed to step **932**. If the result of decision **930** is positive, the "yes" branch is followed to step **934**. In step **932**, a message is sent to the invitor via the Internet **405a** or **405b** indicating that set-up is complete. In step **934** additional information such as additional project contacts is published to the GIS **415a** or **415b**. In step **936** a message is sent to the invitor indicating that additional information is available in the GIS **415a** or **415b**. Step **940** follows steps **932** and **938** and represents the end of process **900**.

Fig. 10 illustrates the computer-implemented process for routines **730**, **914**, **918**, **920**, and **922**. Fig. 10 provides a logic flow diagram for process **1000** for mapping of data between databases. Process **1000** begins with start step **1005**. In step **1010** a comparison is made between data retrieved from the GIS **415a** or **415b** and data on the local database **420a - 445a**. In decision step **1015** a determination is made whether possible matches exists between the local database and the GIS **415a** or **415b**. If the result of decision **1015** is negative, the "no" branch is followed to step **1035**. If the result of decision **1015** is positive, the "yes" branch is followed to step **1020**. In step **1035** the data and its associated GUID are imported locally by

accessing the GIS via the Web server **410a** or **410b**. In step **1020** possible matches between the data in the GIS **415a** or **415b** and the local data are displayed to the user.

In decision step **1025**, a decision is made whether to select a possible match between the displayed data matches and the local data. If the result of decision **1025** is negative, the "no" branch is followed to step **1035**. If the result of decision **1025** is positive, the "yes" branch is followed to step **1030**. In step **1030** the GUID value associated with the selected match is associated with the local data. In decision step **1040**, a determination whether additional data exists that must be mapped is made. If the result of decision **1040** is negative, the "no" branch is followed to step **1045** signifying the end of process **1000**. If the result of decision **1040** is positive, the "yes" branch is followed to step **1010** and process **1000** is repeated until no more data requires mapping.

Fig. 11 is an exemplary logic flow diagram for process **745** for sending messages or documents to collaborators. Process **745** begins with start step **1105**. In step **1110** a message or document is selected by a client. The message or document can be an existing message or document that has been received. Alternatively, the selected message or document can be newly created or can be an edited version of an existing document. Messages or documents are assigned a GUID when created. Existing messages or documents without GUIDs are assigned GUIDs when sent to the addressee. Messages or documents contain data fields that are assigned locally at the client computer. Examples of local data fields include contacts, project, company, and status. In decision **1115** the data values corresponding to data fields in the document are checked to determine whether a GUID exists for each data field in the GIS **415a** or **415b**. If the result of decision **1115** is negative, the "no" branch is followed to step **1120**. If the result of decision **1115** is positive, the "yes" branch is followed to step **1125**.

In step **1120** a client publishes data fields in the message or document that do not have a corresponding GUID to the GIS **415a** or **415b**, and each data field is associated with a GUID. Publishing includes sending the data and the corresponding contextual information to the GIS by the client. A GUID is inserted locally for each data field in the message or document. In step **1125** the message or

document is converted into XML transmittal format by the client computer. Those of ordinary skill in the art will recognize that the message or document can be converted into any format suitable for electronic transmittal. Alternatively, the message or document may be encrypted prior to transmission. Step **1130** is next, and the message or document is placed in an "envelope" wrapper. Those of ordinary skill in the art will understand that the message or document can be packaged with any suitable method for transmission such that the integrity of the message or document is preserved during transmission. For example, messages or documents can be packaged using protocols known in the art such as the Transmission Control Protocol (TCP) and the Internet Protocol (IP).

After the message or document is packaged, the message or document is addressed in routine **1135**. Addressing is described in more detail in process **740**. In one example, the GUID associated with the addressee company is matched against the GUID in the GIS. The routing information associated with the GUID in the GIS is returned locally and inserted into the document or message. In routine **1140** a document history is initiated. Routine **1140** is more fully illustrated in Fig. 14. In step **1145** the message or document is transmitted to the addressee. In decision step **1150** a determination whether more messages or documents are to be sent is made by the client. If the result of decision **1150** is negative, the "no" branch is followed to step **1155** which represents the end of process **1100**. If the result of decision **1150** is positive, the "yes" branch is followed to step **1110** and process **1100** is repeated until no more messages or documents are to be sent.

Fig. 12 is a logic flow diagram of an exemplary process **1200** for receiving documents or messages. Process **1200** begins with start step **1205**. In routine **1210** a "listener" receives a message or document addressed to a project collaborator. Routine **1210** is described in detail in process **1300** of Fig. 13. A "listener" can be any computer or computer process for receiving electronically transmitted messages or documents and extracting the message or document from the electronic packaging necessary for transmission. In step **1215** the message or document is placed in the addressee's queue to accept the document. In decision step **1220** the message or document is accepted or rejected by the client computer. If the

result of decision step 1220 is negative, the "no" branch is followed to step 1225. If the result of decision step 1220 is positive, the "yes" branch is followed to decision step 1230. In step 1225, the rejected message or document is returned to the sender. Step 1255 follows step 1225 and represents the end of process 1200. In decision step 1230, the client computer checks the data in the message or document to determine if all the data fields have a GUID that is matched locally. If the result of decision step 1230 is negative, the "no" branch is followed to routine 1235. If the result of decision step 1230 is positive, the "yes" branch is followed to step 1240.

In routine 1235 all the data in the document is mapped locally as described in process 1000. In step 1240 the data in the message or document is marked as "read." Next, the document is marked as "useable" in step 1245. If return receipt is requested, the sender is notified of receipt in step 1250. Step 1255 follows step 1245 and represents the end of process 1200.

Fig. 13 is a logic flow diagram of an exemplary process for processing a received message, process 1210. The first step of process 1210 is step 1310. In step 1310 a "listener" receives the message or document. In decision step 1315 a determination is made as to whether the message is from an "allowed" sender. An "allowed" sender is a sender that the receiver has selected from whom to receive messages. If the result of decision step 1315 is negative, the "no" branch is followed to step 1320. If the result of decision 1315 is positive, the "yes" branch is followed to step 1325. In step 1320 the message is rejected and the sender is notified. In decision step 1325, a determination is made whether the addressee is known locally. If the result of the decision step 1325 is negative, the "no" branch is followed to step 1330. If the result of decision 1325 is positive, the "yes" branch is followed to decision 1350. In step 1330 the message or document is saved locally and the local administrator is notified that a message of document with an unknown address has been received.

In decision 1335 the system administrator determines whether the unknown address can be matched to a local user. If the result of decision 1335 is negative, the "no" branch is followed to step 1340. If the result of decision 1335 is positive, the "yes" branch is followed to decision 1350. In step 1340 the message or

document is rejected and the sender is notified of the rejection. The saved copy of the message or document is then removed in step **1345** and step **1365** representing the end of the routine is follows. In decision **1350** a determination is made as to whether the user or addressee has sufficient permissions to receive the sent message or document.

5 If the result of decision **1350** is negative, the "no" branch is followed to step **1355**. If the result of decision **1350** is positive, the "yes" branch is followed to step **1360**. In step **1355** the message or document is rejected and the sender is notified. In step **1360** the message or document is saved locally and is marked as a new message or document. Step **1365** follows and represents the end of process **1300**.

10 Fig. 14 is a logic flow diagram of an exemplary process **1400** for tracking changes in documents and messages exchanged between collaborators. Process **1400** begins with start step **1405**. In step **1410** an existing document is edited. Exemplary project messages or documents contain document tables corresponding to the specific type of message or document. Exemplary project
15 documents in the construction industry include Request For Information (RFI), Meetings, and Submittals.

In step **1415** the status of the original unedited message or document is set to "historical." In step **1420** a new record is added to a document table and the status is changed to "latest." The new record records the change to the document, who
20 changed the document, and when the document was changed. When a document is changed, the HistoryID is incremented. Some documents or messages are specifically related to one another in that they are generated in response to or for the "parent" document. An example of such compound documents occurs with meetings. A compound document is a document represented in the database by a parent table and
25 one or more child tables. A record of a meeting may be related to a record of attendance for that meeting as well as a record of minutes of the meeting. In step **1425** a record is added to the Document History Table if a message or document is a "child" , i.e., related, to another document. The overall history for a compound document is maintained in a document history table. History Field changes in parent
30 documents apply to every child table. Whenever a change is made in any part of a compound document, a new record is also added to this table.

In step **1435**, a record is added to a Tracking Table. A Tracking Table tracks information about documents sent and received and is updated whenever an action is taken on a particular document. Exemplary actions include actions involving communication between different clients including: Sent To, Receive From, Respond To, Received Receipt, Read Receipt.

In decision step **1435**, a determination is made as to whether more documents are to be edited. If the result of decision step **1435** is negative, the "no" branch is followed to the **1440**, the end. If the result of decision step **1435** is positive, the "yes" branch is followed to step **1410** and process **1400** is repeated until no more documents are to be edited.

The full history of a document can be retrieved by querying the system. The results of the query can be displayed to the user.

The history functionality can be illustrated in the context of a meeting between collaborators on a project in the construction industry. Initially, a document entitled Meetings is created by collaborator. As with any meeting, attendance and minutes can be taken. In this example, attendance and minutes would exist as separate documents that are connected to the Meetings document, the parent document. To track the history of the meeting as well as associated documents such as attendance and minutes, a table entitled Meeting History is added to the Meetings document. Each document has a table associated with each document, and each parent document has a field in its document table for each child document. Child documents of Meetings include MtgAttendance, Minutes, and MinutesResp.

When a meetings document is created, the fields listed in Table 1 are added to the Meetings Table.

Table 1

<u>Meetings</u>	<u>Data Type</u>
MeetingHistoryID	Int, auto incr.
MtgGUID	Uniqueidentifier
HistoryActionID	Int
HistoryUserID	Int
HistoryTimestamp	Timestamp
HistoryStatus	Char(1)

The field "MeetingHistoryID" is incremented whenever the Meeting document is altered or acted upon. The field "MtgGUID" is the GUID that identifies the meeting and remains constant throughout alterations. The field "HistoryActionID" identifies the type of action taken on the document. The field "HistoryUserID" identifies the client changing the document. The field "HistoryTimestamp" marks the time the change was made to the document, and the "HistoryStatus" field identifies whether this is the latest version of the document. These fields enable a history trail to be generated that will identify who edited the document, when the document was edited, when the document was edited, and whether the document is the latest version. The history trail is generated by extracting the data in these fields and displaying the data to a user.

The attendance for the meeting may be recorded in a document called MtgAttendance. When an attendee is added to the meeting, a record is added to the MtgAttendance Table. The MtgAttendance document contains a MtgAttendance table. The fields listed in Table 2 are added the MtgAttendance table.

Table 2

<u>MtgAttendance</u>	<u>Data Type</u>
MtgAttendanceID	Int, auto incr.
MtgAttendanceGUID	Uniqueidentifier
HistoryActionID	Int
HistoryUserID	Int
HistoryTimestamp	Timestamp
HistoryStatus	Char(1)

These added fields parallel the fields added to the Meetings Table, but are specific for the document MtgAttendance.

- 5 Similarly, when a minutes document is created, the fields listed in Table 3 are added to the Minutes table.

Table 3

<u>Minutes</u>	<u>Data Type</u>
MinuteHistoryID	Int, auto incr.
MinuteGUID	Uniqueidentifier
HistoryActionID	Int
HistoryUserID	Int
HistoryTimestamp	Timestamp
HistoryStatus	Char(1)

- 10 The added fields in Table 3: HistoryID, GUID, HistoryActionID, HistoryUserID, HistoryTimestamp, and HistoryStatus are similar to the fields listed in Tables 1 and 2 above and serve the same purposes but are specific for this document.

- 15 The following table MeetingHistory demonstrates how the MeetingHistory Table is updated when various parts of a meeting are added and edited. This example does not include all fields that are in the Table such as Action, UserID, Timestamp, and TableID). For each record in MeetingHistory, the system also updates the individual tables Meeting, MtgAttendance, Minutes, and MinutesResp.

Table 4: MeetingHistory

TotalMtgHistID	MtgID	MtgHistID	MtgAttHistIDs	MtgMinHistIDs
45	92	899		
46	92	899	106	
47	92	899	106, 107	
48	92	899	106, 107	343
49	78	686	55, 61, 62	222, 223
50	78	686	55, 61, 62	222, 223
51	78	686	55, 61, 62	222, 223
52	92	899	106, 107	343
53	92	1002	106, 107	343
54	92	1002	107	343

Table 4 has entries for two separate meetings, identified by MtgIDs 92 and 98. In record 45, the user created meeting 92. In record, 46, the user added an attendee to the meeting by creating a Meeting Attendance document given a MtgAttHistID of 106. In record 47, the user added another attendee to the meeting which is evidence by the addition of a record termed MtgAttHistID 107. Records 49-51 concern a different meeting as evidenced by different MtgID, 78 rather than 92. By record 52, the original meeting, MtgID 92, has two attendees, evidenced by records 106 and 107, and one minute, record 343. Record 53 shows a change in the MtgHistID from 899 to 1002 indicating that the document Meeting was edited or acted upon.

Using the information from the table Meeting History, a History Log for the meeting identified as MtgID 92 can be generated as follows. This History Log can be displayed to a client allowing the client to ascertain the status of meeting, project or document.

Table 5: History Log

TotalMtgHist ID	Time	Company	User	Action	# Att.	# Min.	# Min. Resp.
45	8/16/00 16:05:16	XYZ	Smith, Joe	Created Meeting	0	0	0
46	8/16/00 16:07:39	XYZ	Smith, Joe	Added Attendee	1	0	0
47	8/16/00 16:08:15	XYZ	Smith, Joe	Added Attendee	2	0	0
48	8/17/00 07:48:22	ABC	Doe, John	Added Minute	2	1	0
52	8/17/00 07:49:04	ABC	Doe, John	Added Min. Resp.	2	1	1
53	8/18/00 13:35:46	EZT	Cook, Mike	Edited Meeting	2	1	1
54	8/18/00 13:35:59	EZT	Cook, Mike	Deleted Attendee	1	1	1

While the present invention may be employed to exchange messages and documents and facilitate collaboration in the construction industry as described in the illustrative embodiments, the invention is not limited to this application and can be used in other industries that require collaboration on projects. For example, the present invention can be used to facilitate collaboration on projects in sales, product development, and scientific research.

It should be understood that the foregoing relates only to illustrative embodiments of the present invention, and that numerous changes may be made therein without departing from the spirit and scope of the invention as defined by the following claims.

CLAIMS

What is claimed is:

1. A method for facilitating collaboration on a project using an
5 Application Service Provider, comprising the steps of:

setting up projects containing data fields wherein each data field is
assigned a unique identifier for recognizing data fields between databases that contain
similar data but have different designations;

10 publishing the data fields with their unique identifiers to a central
database;

inviting collaborators to participate in projects, wherein collaborators
can access the central database using the Internet to retrieve project data and
associated unique identifiers if data fields in received information are unknown
locally;

15 locally mapping retrieved or received data fields and associated unique
identifiers;

electronically exchanging information relating to projects between
participants; and

20 preserving individual ownership of project information.

2. The method of claim 1, wherein the project is in the
construction industry.

3. The method of claim 1, further comprising the step of:
25 creating document histories by inserting new records into data fields
within the document or message reflecting changes made to messages or documents
as the message or documents are exchanged.

4. The method of claim 1, further comprising the step of:
30 generating reports on projects for a collaborator on an enterprise level
or project specific level.

5. The method of claim 1, wherein the step of setting up a project further comprises the steps of:

electronically transmitting project data fields to a database, wherein a
5 unique identifier is assigned to each data field;
returning the unique identifiers to a local computer;
locally mapping the unique identifiers;
choosing participants;
addressing invitations to collaborate;
10 electronically transmitting the invitations to collaborate to chosen
participants.

6. The method of claim 1, wherein the step of electronically transmitting invitations further comprises the steps of:

15 converting the invitation into a transmittal format;
placing the invitation in an electronic envelope;
addressing the invitation;
creating a document history record; and
electronically sending the invitation.

20 7. The method of claim 6, wherein the transmittal format is XML.

8. The method of claim 1, wherein the step of electronically exchanging information further comprises the steps of:

25 selecting a document to exchange;
determining whether all data fields in the document each have a unique
identifier, and if some data fields do not have unique identifiers, then electronically
transmitting those data fields to a central database, wherein unique identifiers are
assigned to the data fields; and
30 electronically transmitting the document.

9. The method of claim 6, wherein the step of electronically transmitting the document further comprises the steps of:

converting the document into a transmittal format;
placing the document in an electronic envelope;
addressing the document;
creating a document history record; and
electronically sending the document.

10. The method of claim 9, wherein the transmittal format is XML.

11. The method of claim 6, wherein the step of electronically exchanging information further comprises the steps of:

receiving a message;
placing the message in addressee's queue to be accepted;
determining whether to accept the message, and if the message is not accepted, then returning the message to sender, but if the message is accepted, then
determining whether all data fields of the message have unique identifiers locally, and if all data fields do not have local global unique identifiers, then mapping all data, but if all data fields do have local unique identifiers, then
marking data as read;
marking document as useable;
determining whether a return receipt was requested, and if a return receipt was requested, then notifying sender, but if a return receipt was not requested, then ending.

12. The method of claim 1 or 5, wherein the step of mapping further comprises the steps of:

performing a data comparison;

determining whether a match exists between received data and local data, and if a match exists displaying the matches to a user, but if a match does not exist, then importing data and unique identifier values from a database;

determining whether a match is selected, and if a match is selected, mapping the database unique identifier locally, but if no match is selected, then importing the data value and associated unique identifier.

13. The method of claim 11, wherein the step of receiving a message further comprises the steps of:

using a computer to receive messages;

determining whether a received message is from an allowed sender, and if the message is not from an allowed sender, then rejecting the message and notifying the sender, but if the message is from an allowed sender, then

determining whether addressee is known locally, and if addressee is not known locally, then saving the message locally and notifying an administrator, but if addressee is known locally then,

determining whether the addressee has sufficient permissions for the message, and if the addressee does have sufficient permissions for the document, then

saving the document; and

marking the document as a new message;

but if the addressee does not have sufficient permissions for the message then rejecting the message and notifying sender.

14. The method of claim 13 wherein the step of notifying the administrator further comprises the steps of:

determining whether the administrator can map addressee to a local user, and if the administrator cannot map addressee to a local user, then

5 rejecting message;
 notifying sender of rejection; and
 removing local copy of message.

15. The method of claim 1, wherein the step of electronically
10 tracking changes further comprises the steps of:

 setting status of and edited or acted upon document to historical;

 adding a new record to a document table indicating the edit or action;

and

 adding a record to a document history table if the document is a
15 compound document.

00503791-102000

creating in a local computing area an electronic document having data fields containing information to be shared;

5

unique identifiers are locally associated with their corresponding data fields;

10

inserting the routing information into the document;

electronically sending the document;

receiving the document at a server;

15

responding to the document by sending a message having data fields

associated with unique identifiers stored in a central database accessible by addressees.

ABSTRACT OF THE DISCLOSURE

Document and message exchange can be facilitated using a

5 Application Service Provider model. Assigning unique identifiers for data fields allows multiple databases to exchange information using relational databases. A project can be initiated and participants invited to collaborate using a distributed computing environment, such as the global Internet. Participants retain ownership of information by selecting the information to be shared, and optionally storing their

10 information on databases restricted to them. Information is routed between collaborators using unique identifiers. Unique identifiers and their corresponding data fields can be mapped to a user's local computing area. Changes in documents and responses to documents can be monitored by inserting new records reflecting the changes into document tables.

K & S Docket No. 06763.105001




Fig. 1 (Conventional Art)




Fig. 2 (Conventional Art)




Fig. 4A




Fig. 4B





Fig. 5



High Level View

Fig. 6




Fig. 7A

Invitations

615




Fig. 7B

Addressing

740




Fig. 8

Project Invitation Received

620




Fig. 9

Mapping

1000




Fig. 10




Fig. 11




Fig. 12

000007-7628500




Fig. 13

Document History

1400




Fig. 14

DECLARATION AND POWER OF ATTORNEYAttorney's Docket No. **06763.105001**

In re Application of: **Dushan G. Monchilovich, Joshua D. Burt, Daniel T. Fossi, Dwayne A. Emerick, Matthew E. Wheelis**

As a below named inventor, I hereby declare that my residence, post office address and citizenship are as stated below next to my name. I believe I am a original, first and joint inventor of the subject matter which is claimed and for which a patent is sought on the invention entitled: DOCUMENT AND MESSAGE EXCHANGE SYSTEM FOR ASP MODEL, the specification of which is attached hereto.

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment referred to above. I do not know and do not believe that the same was ever known or used by others in the United States of America before my or our invention thereof, or patented or described in any printed publication in any country before my or our invention thereof or more than one year prior to the date of this application. I further state that the invention was not in public use or on sale in the United States of America more than one year prior to the date of this application. *I understand that I have a duty of candor and good faith toward the Patent and Trademark Office*, and I acknowledge the duty to disclose information which is material to the examination of this application in accordance with Title 37, Code of Federal Regulations, §1.56.

I hereby claim foreign priority benefits under Title 35, United States Code, §119 (a)-(d) of the foreign application(s) for patent or inventor's certificate listed below, and have also identified below any foreign application for patent or inventor's certificate disclosing subject matter in common with the above-identified specification and having a filing date before that of the application on which priority is claimed:

<u>Application No.</u>	<u>Country</u>	<u>Filing Date</u>	<u>Priority Claimed Under 35 USC §119</u>
None			Yes _____ No <u>X</u>

I hereby claim the benefit under Title 35, United States Code, § 119(e) of any United States provisional application(s) listed below:

<u>(Application No.)</u>	<u>(Filing Date)</u>	<u>(Application No.)</u>	<u>(Filing Date)</u>

I hereby claim the benefit under Title 35, United States Code, §120 of any United States application(s) listed below and, insofar as the subject matter disclosed and claimed in the present application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code §112, I acknowledge the duty to disclose material information as defined in Title 37, Code of Federal Regulations, §1.56 which became available between the filing date of the prior application and the national or PCT international filing date of this application:

<u>Application Serial No.</u>	<u>Filing Date</u>	<u>Status: patented, pending, abandoned</u>
None		

I further declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statement were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application or any patents issuing thereon.

POWER OF ATTORNEY: The following are hereby appointed to prosecute this application and transact all business in the Patent and Trademark Office connected therewith: Sherry M. Knowles-33,052; W. Scott Petty-35,645; Clark G. Sullivan-36,942; Holmes J. Hawkins-38,913; Steven P. Wigmore-40,447; Curtis L. Doster-41,714; Charles Vorndran-45,315; Lisa K. Norton-44,977.

Send correspondence to: **King & Spalding**
191 Peachtree Street, N.E., 45th Floor
Atlanta, Georgia 30303

Direct telephone calls at **(404) 572-4600**

Charles Vorndran

Full name of sole or first inventor: **Dushan G. Monchilovich**

Citizenship: **USA**

DECLARATION AND POWER OF ATTORNEYAttorney's Docket No. **06763.105001**

In re Application of: **Dushan G. Monchilovich, Joshua D. Burt, Daniel T. Fossi, Dwayne A. Emerick, Matthew E. Wheelis**

As a below named inventor, I hereby declare that my residence, post office address and citizenship are as stated below next to my name. I believe I am a original, first and joint inventor of the subject matter which is claimed and for which a patent is sought on the invention entitled: DOCUMENT AND MESSAGE EXCHANGE SYSTEM FOR ASP MODEL, the specification of which is attached hereto.

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment referred to above. I do not know and do not believe that the same was ever known or used by others in the United States of America before my or our invention thereof, or patented or described in any printed publication in any country before my or our invention thereof or more than one year prior to the date of this application. I further state that the invention was not in public use or on sale in the United States of America more than one year prior to the date of this application. *I understand that I have a duty of candor and good faith toward the Patent and Trademark Office*, and I acknowledge the duty to disclose information which is material to the examination of this application in accordance with Title 37, Code of Federal Regulations, §1.56.

I hereby claim foreign priority benefits under Title 35, United States Code, §119 (a)-(d) of the foreign application(s) for patent or inventor's certificate listed below, and have also identified below any foreign application for patent or inventor's certificate disclosing subject matter in common with the above-identified specification and having a filing date before that of the application on which priority is claimed:

<u>Application No.</u>	<u>Country</u>	<u>Filing Date</u>	<u>Priority Claimed Under 35 USC §119</u>
None			Yes _____ No <u>X</u>

I hereby claim the benefit under Title 35, United States Code, § 119(e) of any United States provisional application(s) listed below:

<u>(Application No.)</u>	<u>(Filing Date)</u>	<u>(Application No.)</u>	<u>(Filing Date)</u>

I hereby claim the benefit under Title 35, United States Code, §120 of any United States application(s) listed below and, insofar as the subject matter disclosed and claimed in the present application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code §112, I acknowledge the duty to disclose material information as defined in Title 37, Code of Federal Regulations, §1.56 which became available between the filing date of the prior application and the national or PCT international filing date of this application:

<u>Application Serial No.</u>	<u>Filing Date</u>	<u>Status: patented, pending, abandoned</u>
None		


I further declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statement were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application or any patents issuing thereon.

POWER OF ATTORNEY: The following are hereby appointed to prosecute this application and transact all business in the Patent and Trademark Office connected therewith: Sherry M. Knowles-33,052; W. Scott Petty-35,645; Clark G. Sullivan-36,942; Holmes J. Hawkins-38,913; Steven P. Wigmore-40,447; Curtis L. Doster-41,714; Charles Vorndran-45,315; Lisa K. Norton-44,977.

Send correspondence to: **King & Spalding**
191 Peachtree Street, N.E., 45th Floor
Atlanta, Georgia 30303

Direct telephone calls at **(404) 572-4600**

Charles Vorndran

Full name of second inventor: Joshua D. Burt	Citizenship: USA
Inventor's signature 	Date: 10/18/2006
Residence and Post Office Address: G-12 Stonehedge Drive, South Burlington, VT 05403	

DECLARATION AND POWER OF ATTORNEYAttorney's Docket No. **06763.105001**

In re Application of: **Dushan G. Monchilovich, Joshua D. Burt, Daniel T. Fossi, Dwayne A. Emerick, Matthew E. Wheelis**

As a below named inventor, I hereby declare that my residence, post office address and citizenship are as stated below next to my name. I believe I am a original, first and joint inventor of the subject matter which is claimed and for which a patent is sought on the invention entitled: DOCUMENT AND MESSAGE EXCHANGE SYSTEM FOR ASP MODEL, the specification of which is attached hereto.

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment referred to above. I do not know and do not believe that the same was ever known or used by others in the United States of America before my or our invention thereof, or patented or described in any printed publication in any country before my or our invention thereof or more than one year prior to the date of this application. I further state that the invention was not in public use or on sale in the United States of America more than one year prior to the date of this application. *I understand that I have a duty of candor and good faith toward the Patent and Trademark Office*, and I acknowledge the duty to disclose information which is material to the examination of this application in accordance with Title 37, Code of Federal Regulations, §1.56.

I hereby claim foreign priority benefits under Title 35, United States Code, §119 (a)-(d) of the foreign application(s) for patent or inventor's certificate listed below, and have also identified below any foreign application for patent or inventor's certificate disclosing subject matter in common with the above-identified specification and having a filing date before that of the application on which priority is claimed:

<u>Application No.</u>	<u>Country</u>	<u>Filing Date</u>	<u>Priority Claimed Under 35 USC §119</u>
None			Yes _____ No <u>X</u>

I hereby claim the benefit under Title 35, United States Code, § 119(e) of any United States provisional application(s) listed below:

<u>(Application No.)</u>	<u>(Filing Date)</u>	<u>(Application No.)</u>	<u>(Filing Date)</u>

I hereby claim the benefit under Title 35, United States Code, §120 of any United States application(s) listed below and, insofar as the subject matter disclosed and claimed in the present application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code §112, I acknowledge the duty to disclose material information as defined in Title 37, Code of Federal Regulations, §1.56 which became available between the filing date of the prior application and the national or PCT international filing date of this application:

<u>Application Serial No.</u>	<u>Filing Date</u>	<u>Status: patented, pending, abandoned</u>
None		

I further declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statement were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application or any patents issuing thereon.

POWER OF ATTORNEY: The following are hereby appointed to prosecute this application and transact all business in the Patent and Trademark Office connected therewith: Sherry M. Knowles-33,052; W. Scott Petty-35,645; Clark G. Sullivan-36,942; Holmes J. Hawkins-38,913; Steven P. Wigmore-40,447; Curtis L. Doster-41,714; Charles Vorndran-45,315; Lisa K. Norton-44,977.

Send correspondence to: **King & Spalding**
191 Peachtree Street, N.E., 45th Floor
Atlanta, Georgia 30303

Direct telephone calls at **(404) 572-4600**

Charles Vorndran

Full name of third inventor: Daniel T. Fossi	Citizenship: USA
Inventor's signature <i>Daniel T. Fossi</i>	Date: <i>10/14/00</i>
Residence and Post Office Address: 53 Kirker Drive, Georgia, VT 05478	

DECLARATION AND POWER OF ATTORNEYAttorney's Docket No. **06763.105001**

In re Application of: **Dushan G. Monchilovich, Joshua D. Burt, Daniel T. Fossi, Dwayne A. Emerick, Matthew E. Wheelis**

As a below named inventor, I hereby declare that my residence, post office address and citizenship are as stated below next to my name. I believe I am a original, first and joint inventor of the subject matter which is claimed and for which a patent is sought on the invention entitled: DOCUMENT AND MESSAGE EXCHANGE SYSTEM FOR ASP MODEL, the specification of which is attached hereto.

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment referred to above. I do not know and do not believe that the same was ever known or used by others in the United States of America before my or our invention thereof, or patented or described in any printed publication in any country before my or our invention thereof or more than one year prior to the date of this application. I further state that the invention was not in public use or on sale in the United States of America more than one year prior to the date of this application. *I understand that I have a duty of candor and good faith toward the Patent and Trademark Office*, and I acknowledge the duty to disclose information which is material to the examination of this application in accordance with Title 37, Code of Federal Regulations, §1.56.

I hereby claim foreign priority benefits under Title 35, United States Code, §119 (a)-(d) of the foreign application(s) for patent or inventor's certificate listed below, and have also identified below any foreign application for patent or inventor's certificate disclosing subject matter in common with the above-identified specification and having a filing date before that of the application on which priority is claimed:

<u>Application No.</u>	<u>Country</u>	<u>Filing Date</u>	<u>Priority Claimed Under 35 USC §119</u>
None			Yes _____ No <u>X</u>

I hereby claim the benefit under Title 35, United States Code, § 119(e) of any United States provisional application(s) listed below:

<u>(Application No.)</u>	<u>(Filing Date)</u>	<u>(Application No.)</u>	<u>(Filing Date)</u>

I hereby claim the benefit under Title 35, United States Code, §120 of any United States application(s) listed below and, insofar as the subject matter disclosed and claimed in the present application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code §112, I acknowledge the duty to disclose material information as defined in Title 37, Code of Federal Regulations, §1.56 which became available between the filing date of the prior application and the national or PCT international filing date of this application:

<u>Application Serial No.</u>	<u>Filing Date</u>	<u>Status: patented, pending, abandoned</u>
None		

I further declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statement were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application or any patents issuing thereon.

POWER OF ATTORNEY: The following are hereby appointed to prosecute this application and transact all business in the Patent and Trademark Office connected therewith: Sherry M. Knowles-33,052; W. Scott Petty-35,645; Clark G. Sullivan-36,942; Holmes J. Hawkins-38,913; Steven P. Wigmore-40,447; Curtis L. Doster-41,714; Charles Vorndran-45,315; Lisa K. Norton-44,977.

Send correspondence to: **King & Spalding**
191 Peachtree Street, N.E., 45th Floor
Atlanta, Georgia 30303

Direct telephone calls at **(404) 572-4600**

Charles Vorndran

Full name of fourth inventor: Dwayne Allen Emerick

Citizenship: USA

Signature J. All Evers

e: October 18, 2000

Residence and Post Office Address: 305 Belmont Chase Ct, Alpharetta, GA 30005

DECLARATION AND POWER OF ATTORNEYAttorney's Docket No. **06763.105001**

In re Application of: **Dushan G. Monchilovich, Joshua D. Burt, Daniel T. Fossi, Dwayne A. Emerick, Matthew E. Wheelis**

As a below named inventor, I hereby declare that my residence, post office address and citizenship are as stated below next to my name. I believe I am a original, first and joint inventor of the subject matter which is claimed and for which a patent is sought on the invention entitled: DOCUMENT AND MESSAGE EXCHANGE SYSTEM FOR ASP MODEL, the specification of which is attached hereto.

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment referred to above. I do not know and do not believe that the same was ever known or used by others in the United States of America before my or our invention thereof, or patented or described in any printed publication in any country before my or our invention thereof or more than one year prior to the date of this application. I further state that the invention was not in public use or on sale in the United States of America more than one year prior to the date of this application. *I understand that I have a duty of candor and good faith toward the Patent and Trademark Office*, and I acknowledge the duty to disclose information which is material to the examination of this application in accordance with Title 37, Code of Federal Regulations, §1.56.

I hereby claim foreign priority benefits under Title 35, United States Code, §119 (a)-(d) of the foreign application(s) for patent or inventor's certificate listed below, and have also identified below any foreign application for patent or inventor's certificate disclosing subject matter in common with the above-identified specification and having a filing date before that of the application on which priority is claimed:

<u>Application No.</u>	<u>Country</u>	<u>Filing Date</u>	<u>Priority Claimed Under 35 USC §119</u>
None			Yes _____ No <u>X</u>

I hereby claim the benefit under Title 35, United States Code, § 119(e) of any United States provisional application(s) listed below:

<u>(Application No.)</u>	<u>(Filing Date)</u>	<u>(Application No.)</u>	<u>(Filing Date)</u>

I hereby claim the benefit under Title 35, United States Code, §120 of any United States application(s) listed below and, insofar as the subject matter disclosed and claimed in the present application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code §112, I acknowledge the duty to disclose material information as defined in Title 37, Code of Federal Regulations, §1.56 which became available between the filing date of the prior application and the national or PCT international filing date of this application:

<u>Application Serial No.</u>	<u>Filing Date</u>	<u>Status: patented, pending, abandoned</u>
None		

I further declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statement were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application or any patents issuing thereon.

POWER OF ATTORNEY: The following are hereby appointed to prosecute this application and transact all business in the Patent and Trademark Office connected therewith: Sherry M. Knowles-33,052; W. Scott Petty-35,645; Clark G. Sullivan-36,942; Holmes J. Hawkins-38,913; Steven P. Wigmore-40,447; Curtis L. Doster-41,714; Charles Vorndran-45,315; Lisa K. Norton-44,977.


Send correspondence to: **King & Spalding**
191 Peachtree Street, N.E., 45th Floor
Atlanta, Georgia 30303

Direct telephone calls at **(404) 572-4600**

Charles Vorndran

Full name of fifth inventor: **Matthew E. Wheelis**

Citizenship: **USA**

Director's signature 

10-18-00

Residence and Post Office Address: 2574 Alexander Farms Drive, Marietta, GA 30064

Page 5 of 5

Category	Sub-category	Value
1. General Information	1.1. Name of the Project	Project X
	1.2. Date of Submission	2023-10-27
	1.3. Author's Name	John Doe
	1.4. Institution	ABC University
	1.5. Supervisor's Name	Prof. Smith
	1.6. Degree Program	Master of Science
	1.7. Field of Study	Computer Science
	1.8. Advisor's Email	john.doe@abc.edu
	1.9. Contact Phone	+1 555 123 4567
	1.10. Address	123 Main St, City, State, Zip
2. Abstract	2.1. Summary	This project explores the impact of artificial intelligence on the healthcare industry, focusing on patient diagnosis and treatment recommendations.
	2.2. Objectives	The primary objective is to develop a machine learning model that can accurately predict patient outcomes based on historical data.
	2.3. Methodology	The methodology involves data collection, preprocessing, model training, and evaluation using cross-validation techniques.
	2.4. Results	The results show that the developed model achieved a high accuracy rate of 92% in predicting patient outcomes.
	2.5. Conclusion	The study concludes that artificial intelligence has the potential to revolutionize healthcare by improving diagnostic accuracy and personalizing treatment plans.
	2.6. Keywords	Artificial Intelligence, Machine Learning, Healthcare, Patient Outcomes, Data Analysis.
	2.7. Introduction	The healthcare industry is facing significant challenges, including the need for more accurate and efficient diagnostic tools.
	2.8. Literature Review	Previous research has shown that machine learning algorithms can effectively analyze large volumes of medical data to identify patterns and trends.
	2.9. Problem Statement	The problem addressed in this project is the lack of personalized and accurate diagnostic tools for complex medical conditions.
	2.10. Significance	This research is significant as it contributes to the development of intelligent systems that can assist healthcare professionals in making better-informed decisions.
3. Literature Review	3.1. Overview	The literature review covers various aspects of artificial intelligence and its applications in healthcare.
	3.2. Machine Learning in Healthcare	Machine learning has been widely used in healthcare for tasks such as disease classification, drug discovery, and patient risk stratification.
	3.3. Deep Learning Applications	Deep learning models have shown promising results in image recognition and natural language processing within the medical domain.
	3.4. Data Mining Techniques	Data mining techniques are essential for extracting meaningful insights from large-scale medical datasets.
	3.5. Ethical Considerations	As AI becomes more integrated into healthcare, ethical considerations regarding patient privacy and data security become paramount.
	3.6. Future Directions	Future research should focus on improving the interpretability and transparency of AI models used in clinical settings.
	3.7. Conclusion	The literature review highlights the potential of AI in healthcare while also identifying areas for further research and development.
	3.8. References	Smith, J. (2020). 'Machine Learning in Healthcare: A Review.' <i>Journal of Medical Research</i> , 15(2), 123-135.
	3.9. Bibliography	Johnson, A. (2019). 'Deep Learning for Medical Image Analysis.' <i>IEEE Transactions on Medical Imaging</i> , 38(5), 1456-1468.
	3.10. Appendix	Additional references and sources used in the literature review.
4. Methodology	4.1. Overview	The methodology describes the systematic approach used to develop and evaluate the machine learning model.
	4.2. Data Collection	Data was collected from a large hospital database, ensuring a diverse and representative sample of patient records.
	4.3. Data Preprocessing	The collected data underwent rigorous preprocessing, including cleaning, normalization, and feature engineering.
	4.4. Model Selection	Several machine learning models were evaluated, and the most suitable one was selected based on performance metrics.
	4.5. Training and Validation	The model was trained on a subset of the data and validated on a separate set to assess its generalization capabilities.
	4.6. Performance Metrics	Key performance metrics such as accuracy, precision, and recall were used to evaluate the model's effectiveness.
	4.7. Results	The model demonstrated superior performance compared to baseline methods, achieving high accuracy in predictions.
	4.8. Discussion	The results of the methodology section provide a detailed account of the experimental process and findings.
	4.9. Conclusion	The methodology section concludes by summarizing the key steps and outcomes of the research process.
	4.10. Appendix	Additional details and supplementary information related to the methodology.
5. Results and Discussion	5.1. Overview	This section presents the results of the experiments and discusses their implications for the field of healthcare AI.
	5.2. Data Analysis	The data analysis reveals that the model's performance is highly consistent across different patient demographics.
	5.3. Model Performance	The model's performance is evaluated against various benchmarks, showing competitive results in the current state-of-the-art.
	5.4. Comparison with Baseline	The results are compared with baseline models, demonstrating the superior performance of the proposed approach.
	5.5. Interpretability	Efforts were made to enhance the interpretability of the model's predictions, providing insights into the factors influencing the outcomes.
	5.6. Limitations	The study acknowledges certain limitations, such as the reliance on historical data and the need for further validation in real-world settings.
	5.7. Future Work	Future work should aim to address the identified limitations and explore new applications of the developed model.
	5.8. Conclusion	The results and discussion section concludes by summarizing the key findings and their potential impact on healthcare practice.
	5.9. Appendix	Additional results and supplementary information related to the experiments.
	5.10. Bibliography	References cited within the results and discussion section.
6. Conclusion	6.1. Summary	The project successfully developed a machine learning model for patient outcome prediction, contributing to the advancement of healthcare AI.
	6.2. Objectives	The objectives of the project were met, with the model achieving high accuracy and providing valuable insights into patient care.
	6.3. Methodology	The methodology employed was robust and systematic, ensuring the reliability of the research findings.
	6.4. Results	The results of the project demonstrate the potential of AI in improving healthcare outcomes and patient care.
	6.5. Discussion	The discussion highlights the significance of the findings and their implications for the future of healthcare.
	6.6. Limitations	The study acknowledges its limitations and suggests areas for further research to enhance the model's performance.
	6.7. Future Work	Future work should focus on expanding the model's capabilities and integrating it into clinical workflows.
	6.8. Conclusion	The conclusion summarizes the overall achievements of the project and its contribution to the field of healthcare AI.
	6.9. Appendix	Additional conclusions and supplementary information related to the project.
	6.10. Bibliography	References cited within the conclusion section.